

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 5 1. (Original) A method comprising:
 receiving a list of media to be loaded into a
 plurality of backup devices;
 ordering the list by physical location of the backup
 devices; and
10 presenting the ordered list to a user.
2. (Original) The method of claim 1, further comprising
before receiving the list of media, configuring a physical
location for each of the backup devices.
- 15 3. (Original) The method of claim 2, wherein configuring
the physical location comprises obtaining information for one or
more site locations and assigning each of the backup devices to
one of the site locations.
4. (Original) The method of claim 3, wherein configuring
the physical location further comprises:
20 obtaining information for one or more data centers,
each of the data centers associated with one of the site
locations; and
 assigning each of the backup devices to one of the
data centers.
- 25 5. (Original) The method of claim 2, wherein configuring
the physical location comprises assigning a grid location in a
data center to at least one of the backup devices.
6. (Original) The method of claim 5, wherein configuring
the physical location further comprises assigning an order number

to each of the grid locations.

7. (Original) The method of claim 5, wherein assigning a grid location comprises for at least one of the backup devices, automatically assigning, to the backup device, a grid location of a system attached to the backup device.

8. (Original) The method of claim 1, wherein ordering the list comprises ordering the list of media by an order number associated with each of the backup devices.

9. (Original) The method of claim 1, wherein receiving the list of media comprises:

receiving a list of media from a user to be used for one or more future executions of one or more backup jobs associated with the backup devices.

10. (Currently Amended) ~~The method of claim 9,~~ A method, comprising:

receiving a list of media to be loaded into a plurality of backup devices;

ordering the list by physical location of the backup devices; and

presenting the ordered list to a user,
wherein receiving the list of media comprises receiving a list of media from a user to be used for one or more future executions of one or more backup jobs associated with the backup devices,
said method further comprising, before receiving the list of media, calculating a required number of scratch media needed for the future executions and presenting the required number of scratch media to the user.

11. (Original) The method of claim 10, wherein calculating comprises:

obtaining backup job information from one or more

backup applications for the backup jobs; and

using the backup job information to calculate the required number of scratch media needed for the future executions.

5 12. (Original) The method of claim 10, wherein calculating the required number of scratch media comprises for at least one of the future executions, dividing an average historical backup size of the backup job by an average capacity of a media type associated with the backup job.

10 13. (Original) A system comprising:

a planner to receive a list of media to be loaded into a plurality of backup devices and to order the list by physical location of the backup devices; and

15 a user interface, communicatively coupled to the planner, to present the ordered list to a user.

14. (Original) The system of claim 13, further comprising a configuration agent, communicatively coupled to said planner, to configure a physical location for each of the backup devices.

20 15. (Original) The system of claim 13, wherein said user interface is further to receive a list of media to be used for one or more future executions of one or more backup jobs associated with the backup device and to transmit the list to said planner.

25 16. (Currently Amended) ~~The system of claim 15~~ A system comprising:

a planner to receive a list of media to be loaded into a plurality of backup devices and to order the list by physical location of the backup devices; and

30 a user interface, communicatively coupled to the planner, to present the ordered list to a user,

wherein said user interface is further to receive a list of media to be used for one or more future executions of one or more backup jobs associated with the backup device and to transmit the list to said planner and, wherein said planner is further to
5 calculate a required number of scratch media needed for the future executions; and wherein said user interface is further to present the required number of scratch media to a user.

17. (Original) The system of claim 16, further comprising an integration agent, communicatively coupled to said planner,
10 to receive backup job information from one or more backup applications and wherein said planner uses the backup job information to calculate the required number of scratch media.

18. (Original) The system of claim 17, wherein the backup job information includes an average historical backup size for
15 one or more of the backup jobs and said planner uses the average historical backup size to calculate the required number of scratch media.

19. (Original) At least one machine-readable medium having stored thereon sequences of instructions, which, when executed
20 by a machine, cause the machine to perform the actions of:

receiving a list of media to be loaded into a plurality of backup devices;

ordering the list by physical location of the backup devices; and

25 presenting the ordered list to a user.

20. (Currently Amended) The medium of claim 19, wherein the instructions ~~for presenting the required number of scratch media~~ comprise instructions, which, when executed by the machine, cause the machine to perform the actions of before receiving the
30 list of media, configuring a physical location for each of the backup devices.

21. (Original) The medium of claim 20, wherein the instructions for configuring the physical location comprise instructions, which, when executed by the machine, cause the machine to perform the actions of assigning a grid location in a data center to at least one of the backup devices.

22. (Original) The medium of claim 20, wherein the instructions for configuring the physical location comprise instructions, which, when executed by the machine, cause the machine to perform the actions of assigning an order number to each of the grid locations.

23. (Currently Amended) ~~The medium of claim 19,~~ At least one machine-readable medium having stored thereon sequences of instructions, which, when executed by a machine, cause the machine to perform the actions of:

receiving a list of media to be loaded into a plurality of backup devices;

ordering the list by physical location of the backup devices; and

presenting the ordered list to a user,
said at least one machine-readable medium further comprising instructions which, when executed by the machine, cause the machine to perform the actions of:

before receiving the list of media, calculating a required number of scratch media needed for one or more future executions of one or more backup jobs associated with the backup devices;

presenting the required number of scratch media to the user; and

wherein receiving the list of media comprises receiving a list of media from a user to be used for the future executions.